

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|--------|--|--|------------------|---------|------------------|
| S1 | 22 | mean adj shift adj analysis | US-PGPUB; USPAT; JPO; IBM_TDB | OR | OFF | 2007/06/08 15:30 |
| S2 | 4 | 10/717702 | US-PGPUB; USPAT; JPO; IBM_TDB | OR | OFF | 2007/05/23 22:52 |
| S3 | 344 | MIMO same NEXT | US-PGPUB; USPAT; JPO; IBM_TDB | OR | OFF | 2007/05/23 22:52 |
| S4 | 0 | 375/222.ccls. and (MIMO same NEXT) | US-PGPUB; USPAT; JPO; IBM_TDB | OR | OFF | 2007/05/23 22:52 |
| S5 | 31 | 375/260.ccls. and (MIMO same NEXT) | US-PGPUB; USPAT; JPO; IBM_TDB | OR | OFF | 2007/05/23 22:53 |
| S6 | 0 | 375/260.ccls. and (MIMO same NEXT) and (noise adj cancellat\$5) | US-PGPUB; USPAT; JPO; IBM_TDB | OR | OFF | 2007/05/23 22:54 |
| S7 | 0 | 375/267.ccls. and (MIMO same NEXT) and (noise adj cancellat\$5) | US-PGPUB; USPAT; JPO; IBM_TDB | OR | OFF | 2007/05/23 22:55 |
| S8 | 1 | "375"/\$.ccls. and (MIMO same NEXT) and (noise adj cancellat\$5) | US-PGPUB; USPAT; JPO; IBM_TDB | OR | OFF | 2007/05/23 22:58 |
| S9 | 0 | "375"/\$.ccls. and (MIMO) and (noise adj cancellat\$5) and junction and decoder | US-PGPUB; USPAT; JPO; IBM_TDB | OR | OFF | 2007/05/23 22:59 |
| S10 | 219618 | "375"/\$.ccls. and (MIMO) and (noise adj cancellat\$5) decoder | US-PGPUB; USPAT; JPO; IBM_TDB | OR | OFF | 2007/05/23 22:59 |
| S11 | 6 | "375"/\$.ccls. and (MIMO) and (noise adj cancellat\$5) and decoder | US-PGPUB; USPAT; JPO; IBM_TDB | OR | OFF | 2007/05/23 23:03 |

EAST Search History

| | | | | | | |
|-----|----|---|--|----|-----|------------------|
| S12 | 35 | "375"/\$.ccls. and (MIMO) and (crosstalk) and decoder | US-PGPUB; USPAT; JPO; IBM_TDB | OR | OFF | 2007/05/23 23:12 |
| S13 | 1 | "375"/\$.ccls. and (MIMO) and (crosstalk adj cancel\$5) | US-PGPUB; USPAT; JPO; IBM_TDB | OR | OFF | 2007/05/23 23:13 |
| S14 | 2 | "370"/\$.ccls. and (MIMO) and (crosstalk adj cancel\$5) | US-PGPUB; USPAT; JPO; IBM_TDB | OR | OFF | 2007/06/01 15:30 |
| S15 | 0 | "370"/\$.ccls. and (MIMO) and (reencod\$5) | US-PGPUB; USPAT; JPO; IBM_TDB | OR | OFF | 2007/05/23 23:17 |
| S16 | 0 | "375"/\$.ccls. and (MIMO) and (reencod\$5) | US-PGPUB; USPAT; JPO; IBM_TDB | OR | OFF | 2007/05/23 23:18 |
| S17 | 22 | "375"/267.ccls. and (MIMO) and (remodulat\$5) | US-PGPUB; USPAT; JPO; IBM_TDB | OR | OFF | 2007/05/23 23:20 |
| S18 | 0 | "375"/267.ccls. and (MIMO) and (remodulat\$5) and (error adj term) | US-PGPUB; USPAT; JPO; IBM_TDB | OR | OFF | 2007/05/23 23:20 |
| S19 | 19 | "375"/267.ccls. and (MIMO) and (remodulat\$5) and (cancellation) | US-PGPUB; USPAT; JPO; IBM_TDB | OR | OFF | 2007/05/24 07:57 |
| S20 | 1 | "10120966".pn. | US-PGPUB; USPAT; JPO; IBM_TDB | OR | OFF | 2007/05/24 07:20 |
| S21 | 0 | 10/619278 | US-PGPUB; USPAT; JPO; IBM_TDB | OR | OFF | 2007/05/24 07:57 |
| S22 | 0 | "10619278" | US-PGPUB; USPAT; JPO; IBM_TDB | OR | OFF | 2007/05/24 08:00 |
| S23 | 1 | "6031428".pn. | US-PGPUB; USPAT; JPO; IBM_TDB | OR | OFF | 2007/05/24 08:29 |

EAST Search History

| | | | | | | |
|-----|----|---|--|----|-----|------------------|
| S24 | 1 | "7164650".pn. | US-PGPUB; USPAT; JPO; IBM_TDB | OR | OFF | 2007/05/24 08:29 |
| S25 | 1 | "370"/267.ccls. and (MIMO) and (interference adj cancel\$5) | US-PGPUB; USPAT; JPO; IBM_TDB | OR | OFF | 2007/06/01 15:30 |
| S26 | 13 | ("20020177447" "20030125040" "20040082356" "5515378" "5703905" "6205193" "6212242" "6215818" "6351499" "6353645" "6400758" "6532258" "6662024"). PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2007/06/01 15:35 |
| S27 | 4 | 10/717702 | US-PGPUB; USPAT; USOCR | OR | OFF | 2007/06/01 15:35 |
| S28 | 5 | 10/658117 | US-PGPUB; USPAT; JPO; IBM_TDB | OR | OFF | 2007/06/04 15:09 |
| S29 | 2 | "10658117" | US-PGPUB; USPAT; JPO; IBM_TDB | OR | OFF | 2007/06/04 15:10 |
| S30 | 3 | "10/120966" | US-PGPUB; USPAT; JPO; IBM_TDB | OR | OFF | 2007/06/04 15:25 |
| S31 | 4 | "10/717702" | US-PGPUB; USPAT; JPO; IBM_TDB | OR | OFF | 2007/06/04 15:25 |
| S32 | 1 | "6298050".pn. | US-PGPUB; USPAT; JPO; IBM_TDB | OR | OFF | 2007/06/08 15:33 |
| S33 | 1 | "6351499".pn. | US-PGPUB; USPAT; JPO; IBM_TDB | OR | OFF | 2007/06/08 15:57 |
| S34 | 3 | 10/120966 | US-PGPUB; USPAT; JPO; IBM_TDB | OR | OFF | 2007/06/08 15:57 |
| S35 | 3 | "10120966" | US-PGPUB; USPAT; JPO; IBM_TDB | OR | OFF | 2007/06/08 15:58 |

EAST Search History

| | | | | | | |
|-----|---|---------------|--|----|-----|------------------|
| S36 | 1 | "20030189999" | US-PGPUB; USPAT; JPO; IBM_TDB | OR | OFF | 2007/06/08 15:58 |
|-----|---|---------------|--|----|-----|------------------|

PALM INTRANET

Day : Friday
 Date: 6/8/2007
 Time: 15:29:18

Inventor Name Search Result

Your Search was:

Last Name = DJOKOVIC

First Name = IGOR

| Application# | Patent# | Status | Date Filed | Title | Inventor Name |
|--------------------------|-------------------------|--------|------------|--|-------------------|
| 08962046 | 6097763 | 150 | 10/31/1997 | MMSE EQUALIZERS FOR DMT SYSTEMS WITH CROSS TALK | DJOKOVIC, IGOR |
| 09759694 | 6622282 | 150 | 01/12/2001 | TRELLIS CODING WITH ONE-BIT CONSTELLATIONS | DJOKOVIC, IGOR |
| 09862911 | 6956872 | 150 | 05/22/2001 | SYSTEM AND METHOD FOR ENCODING DSL INFORMATION STREAMS HAVING DIFFERING LATENCIES | DJOKOVIC, IGOR |
| 09930813 | Not Issued | 161 | 08/16/2001 | System and method for performing echo tracking using a synchronization symbol | DJOKOVIC, IGOR |
| 09932208 | Not Issued | 161 | 08/17/2001 | Frequency domain inter-symbol interference cancellation system and method | DJOKOVIC, IGOR |
| 09933510 | Not Issued | 161 | 08/18/2001 | System and method for providing echo cancellation via a frequency domain echo canceler | DJOKOVIC, IGOR |
| 60176130 | Not Issued | 159 | 01/14/2000 | TRELLIS CODING WITH ONE-BIT CONSTELLATIONS | DJOKOVIC, IGOR |
| 60226114 | Not Issued | 159 | 08/18/2000 | Multiple latencies multilevel turbo coding for dsl | DJOKOVIC, IGOR |
| 60226118 | Not Issued | 159 | 08/18/2000 | Frequency domain ISI removal | DJOKOVIC, IGOR |
| 60226140 | Not Issued | 159 | 08/18/2000 | Frequency-domain echo canceller for ADSL | DJOKOVIC, IGOR |
| 60226175 | Not Issued | 159 | 08/18/2000 | EC tracking using synchronization symbol DMT ADSL systems | DJOKOVIC, IGOR |
| 11244483 | Not Issued | 30 | 10/05/2005 | Method and apparatus for signal coding | DJOKOVIC, IGOR S. |
| 11244488 | Not | 30 | 10/05/2005 | Trellis constellation shaping | DJOKOVIC, IGOR S. |

| | Issued | | | | |
|--------------------------|------------|-----|------------|--|---------------------|
| 60616045 | Not Issued | 159 | 10/05/2004 | Trellis constellation shaping | DJOKOVIC, IGOR S. |
| 60616046 | Not Issued | 159 | 10/05/2004 | Method and apparatus for signal coding | DJOKOVIC, IGOR S. |
| 10717702 | Not Issued | 30 | 11/19/2003 | Multi-channel communication system for multiple input, multiple output processing of an encoded signal | DJOKOVIC, IGOR SHEN |
| 09969323 | 6952458 | 150 | 10/02/2001 | DEMAPPING SYSTEM AND METHOD | DJOKOVICH, IGOR |
| 60237145 | Not Issued | 159 | 10/02/2000 | Soft demapper for odd qam constellation | DJOKOVICH, IGOR |

Inventor Search Completed: No Records to Display.

Search Another: Inventor

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | Home page

PALM INTRANET

Day : Friday
 Date: 6/8/2007
 Time: 15:29:33

Inventor Name Search Result

Your Search was:

Last Name = WESEL

First Name = RICHARD

| Application# | Patent# | Status | Date Filed | Title | Inventor Name |
|---------------------------------|--------------------------------|---------------|-------------------|---|----------------------|
| <u>60621297</u> | Not Issued | 159 | 10/22/2004 | Error control for acoustic telemetry | WESEL, RICHARD |
| <u>60737882</u> | Not Issued | 159 | 11/18/2005 | Non-linear trellis codes for optical applications | WESEL, RICHARD |
| <u>11244483</u> | Not Issued | 30 | 10/05/2005 | Method and apparatus for signal coding | WESEL, RICHARD D. |
| <u>11244488</u> | Not Issued | 30 | 10/05/2005 | Trellis constellation shaping | WESEL, RICHARD D. |
| <u>11471439</u> | Not Issued | 30 | 06/20/2006 | Variable-rate low-density parity check codes with constant blocklength | WESEL, RICHARD D. |
| <u>60616045</u> | Not Issued | 159 | 10/05/2004 | Trellis constellation shaping | WESEL, RICHARD D. |
| <u>60616046</u> | Not Issued | 159 | 10/05/2004 | Method and apparatus for signal coding | WESEL, RICHARD D. |
| <u>07589137</u> | Not Issued | 166 | 09/27/1990 | ECHO PROTECTION TONE DETECTION AND REGENERATION FOR DIGITAL TRANSMISSION OF FACSIMILE CALLS | WESEL, RICHARD D. |
| <u>07767305</u> | <u>5280525</u> | 150 | 09/27/1991 | ADAPTIVE FREQUENCY DEPENDENT COMPENSATION FOR TELECOMMUNICATIONS CHANNELS | WESEL, RICHARD D. |
| <u>07947355</u> | <u>5216519</u> | 150 | 09/18/1992 | ECHO PROTECTION TONE DETECTION AND REGENERATION FOR DIGITAL TRANSMISSION OF FACSIMILE CALLS | WESEL, RICHARD D. |
| <u>08550443</u> | <u>6125150</u> | 150 | 10/30/1995 | A TRANSMISSION SYSTEM USING CODE DESIGNED FOR TRANSMISSION WITH PERIODIC INTERLEAVING | WESEL, RICHARD D. |
| | | | | | |

| | | | | | |
|-----------------|------------|-----|------------|--|------------------------|
| <u>60692120</u> | Not Issued | 159 | 06/20/2005 | Variable-rate low-density parity check codes with constant blocklength | WESEL, RICHARD D. |
| <u>10717702</u> | Not Issued | 30 | 11/19/2003 | Multi-channel communication system for multiple input, multiple output processing of an encoded signal | WESEL, RICHARD DALE |
| <u>09172989</u> | 6158041 | 150 | 10/14/1998 | SYSTEM AND METHOD FOR I/Q TRELLIS CODED MODULATION | WESEL, RICHARD DALE |

Inventor Search Completed: No Records to Display.

Search Another: Inventor

| Last Name | First Name | Search |
|------------------------------------|--------------------------------------|---------------------------------------|
| <input type="text" value="WESEL"/> | <input type="text" value="RICHARD"/> | <input type="button" value="Search"/> |

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | Home page

PALM INTRANET

Day : Friday
Date: 6/8/2007
Time: 15:29:42

Inventor Name Search Result

Your Search was:

Last Name = INFUSINO

First Name = E.

| Application# | Patent# | Status | Date Filed | Title | Inventor Name |
|--------------|------------|--------|------------|--|-----------------------|
| 10717702 | Not Issued | 30 | 11/19/2003 | Multi-channel communication system for multiple input, multiple output processing of an encoded signal | INFUSINO, E. JAMES |

Inventor Search Completed: No Records to Display.

Search Another: Inventor

| | |
|---------------------------------------|---------------------------------|
| Last Name | First Name |
| <input type="text" value="INFUSINO"/> | <input type="text" value="E."/> |
| <input type="button" value="Search"/> | |

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | Home page

PALM INTRANET

Day : Friday
 Date: 6/8/2007
 Time: 15:29:47

Inventor Name Search Result

Your Search was:

Last Name = TSATSANIS

First Name = MICHAIL

| Application# | Patent# | Status | Date Filed | Title | Inventor Name |
|---------------------------------|--------------------------------|--------|------------|---|-----------------------|
| <u>09710579</u> | <u>6978015</u> | 150 | 11/10/2000 | METHOD AND APPARATUS FOR COOPERATIVE DIAGNOSIS OF IMPAIRMENTS AND MITIGATION OF DISTURBERS IN COMMUNICATION SYSTEMS | TSATSANIS, MICHAIL |
| <u>09710610</u> | <u>6834109</u> | 150 | 11/10/2000 | METHOD AND APPARATUS FOR MITIGATION OF DISTURBERS IN COMMUNICATION SYSTEMS | TSATSANIS, MICHAIL |
| <u>09710718</u> | <u>6970415</u> | 150 | 11/10/2000 | METHOD AND APPARATUS FOR CHARACTERIZATION OF DISTURBERS IN COMMUNICATION SYSTEMS | TSATSANIS, MICHAIL |
| <u>10517090</u> | Not Issued | 61 | 08/30/2005 | Multiline transmission in communication systems | TSATSANIS, MICHAIL |
| <u>10517094</u> | Not Issued | 160 | 01/01/0001 | Method and system for providing a time equalizer for multiline transmission in communication systems | TSATSANIS, MICHAIL |
| <u>10517095</u> | Not Issued | 30 | 08/26/2005 | Method and system for providing window shaping for multiline transmission in a communications system | TSATSANIS, MICHAIL |
| <u>10794926</u> | Not Issued | 30 | 03/05/2004 | Deployment processes for new technology systems | TSATSANIS, MICHAIL |
| <u>10813881</u> | Not Issued | 41 | 03/30/2004 | Iterative waterfiling with explicit bandwidth constraints | TSATSANIS, MICHAIL |
| <u>60215543</u> | Not Issued | 159 | 06/30/2000 | Semi-blind identification of cross-talk transfer functions | TSATSANIS, MICHAIL |

| | | | | | |
|---------------------------------|------------|-----|------------|---|-----------------------|
| <u>60227678</u> | Not Issued | 159 | 08/24/2000 | Medium access control strategies that mitigate interference in wireless systems | TSATSANIS, MICHAIL |
| <u>60235456</u> | Not Issued | 159 | 09/26/2000 | Methods for bit loading | TSATSANIS, MICHAIL |
| <u>60235942</u> | Not Issued | 159 | 09/27/2000 | Identification of co-channel dynamics | TSATSANIS, MICHAIL |
| <u>60236013</u> | Not Issued | 159 | 09/27/2000 | Reduced-constellation joint viterblalgorith for pam disturber compensation in DMT Communication systems | TSATSANIS, MICHAIL |
| <u>60236059</u> | Not Issued | 159 | 09/27/2000 | Method for joint detection of single carrier interferers in multicarrier transmission systems | TSATSANIS, MICHAIL |
| <u>60237358</u> | Not Issued | 159 | 09/27/2000 | Accurate blind baud rates estimation of a mixture of signals using short data segments | TSATSANIS, MICHAIL |
| <u>60257606</u> | Not Issued | 159 | 12/22/2000 | Resource allocation procedure that mitigates interference in DSL | TSATSANIS, MICHAIL |
| <u>60368476</u> | Not Issued | 159 | 03/27/2002 | Efficient use of asymmetric spectral masks for duplexing symmetric and asymmetric services | TSATSANIS, MICHAIL |
| <u>60387303</u> | Not Issued | 159 | 06/07/2002 | Method and system for multiline transmission in a communications system | TSATSANIS, MICHAIL |
| <u>60398860</u> | Not Issued | 159 | 07/25/2002 | Method and system for multi-line transmission in a communications system | TSATSANIS, MICHAIL |
| <u>60457478</u> | Not Issued | 159 | 03/24/2003 | Method and apparatus for high speed signaling across multilane communication channels and interconnects | TSATSANIS, MICHAIL |
| <u>60530092</u> | Not Issued | 159 | 12/15/2003 | Initial deployment of MIMO systems | TSATSANIS, MICHAIL |
| <u>60546616</u> | Not Issued | 159 | 02/20/2004 | Iterative waterfiling with explicit bandwidth constraints | TSATSANIS, MICHAIL |
| <u>60086063</u> | Not Issued | 159 | 05/20/1998 | BLIND ADAPTIVE ALGORITHMS FOR OPTIMAL MINIMUM VARIANCE CDMA RECEIVERS | TSATSANIS, MICHAIL K. |

| | | | | | |
|---------------------------------|--------------------------------|-----|------------|---|---------------------------------------|
| <u>09314329</u> | <u>6445692</u> | 150 | 05/19/1999 | BLIND ADAPTIVE ALGORITHMS FOR OPTIMAL MINIMUM VARIANCE CDMA RECEIVERS | TSATSANIS, MICHAIL K. |
| <u>10658117</u> | Not Issued | 30 | 09/08/2003 | Decision feedback transceiver for multichannel communication system | TSATSANIS, MICHAIL KONSTANTINOS |
| <u>10717702</u> | Not Issued | 30 | 11/19/2003 | Multi-channel communication system for multiple input, multiple output processing of an encoded signal | TSATSANIS, MICHAIL KONSTANTINOS |
| <u>10800422</u> | Not Issued | 41 | 03/11/2004 | Common mode noise cancellation | TSATSANIS, MICHAIL KONSTANTINOS |
| <u>10913285</u> | Not Issued | 30 | 08/06/2004 | Method and apparatus for training using variable transmit signal power levels | TSATSANIS, MICHAIL KONSTANTINOS |
| <u>10913705</u> | Not Issued | 30 | 08/06/2004 | Method and apparatus for training using variable transmit signal power levels | TSATSANIS, MICHAIL KONSTANTINOS |
| <u>11580706</u> | Not Issued | 30 | 10/13/2006 | Method and apparatus for adapting to dynamic channel conditions in a multi-channel communication system | TSATSANIS, MICHAIL KONSTANTINOS |
| <u>60713785</u> | Not Issued | 159 | 09/01/2005 | Line powering | TSATSANIS, MICHAIL KONSTANTINOS |
| <u>60897642</u> | Not Issued | 20 | 01/25/2007 | Efficient multiple input multiple output signal processing method and apparatus | TSATSANIS, MICHAIL KONSTANTINOS |

Inventor Search Completed: No Records to Display.

| | | |
|--------------------------|---|---|
| Search Another: Inventor | <input style="width: 100%; border: 1px solid black; height: 1.2em; padding: 0 5px; font-size: 0.9em;" type="text" value="TSATSANIS"/> | <input style="width: 100%; border: 1px solid black; height: 1.2em; padding: 0 5px; font-size: 0.9em;" type="text" value="MICHAIL"/> <input type="button" value="Search"/> |
|--------------------------|---|---|

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)